

Download repository creation

Contents

- [1 Overview](#)
- [2 Prerequisites](#)
 - ◆ [2.1 Creating the repository](#)
 - ◇ [2.1.1 For an PINsafe appliance](#)
 - ◇ [2.1.2 For a Windows Server:](#)
- [3 Testing](#)
- [4 Known Issues](#)
- [5 Troubleshooting](#)

Overview

It is possible to create a repository on the PINsafe server where users can download client software from.

Prerequisites

PINsafe appliance or software install

Creating the repository

Upload the required software to the pinsafe folder. Note: ensure that executable scripts are not uploaded to the PINsafe server:

For an PINsafe appliance

For information on uploading files to a PINsafe appliance see: [WinSCP How To Guide](#)

/usr/local/tomcat/webapps/pinsafe

or for the proxy port

/usr/local/tomcat/webapps2/proxy

For a Windows Server:

/Program Files/ Apache Software Foundation/Tomcat 6.0/webapps/pinsafe

or

/Program Files/ Apache Software Foundation/Tomcat 5.0/webapps/pinsafe

Testing

Browse to the file location which should give the opportunity to download the software:

PINsafe Appliance

<https://<IP>:8080/pinsafe/<filename>>

or

<https://<IP>:8443/proxy/<filename>>

Software Install

<http://<IP>:8080/pinsafe/<filename>>

Known Issues

Troubleshooting