Upgrade from v3 to v4

Contents

- 1 Upgrading notes
 2 Before upgrade : License considerations
 3 Upgrading procedure
 4 Need more help?

Upgrading notes

This document tells the procedure of upgrading from version 3 to version 4 sentry Authcontrol using the CMI

Before upgrade : License considerations

To access the latest AuthControl Sentry V4.04 features you will need to upgrade your appliance as well as request a V4 license key and Site ID, please contact your local Swivel Secure representative who can arrange this for you.

Please note some features like Single Sign On are chargeable.

Upgrading procedure

- Updating v3 to v4
- 1. Update swivel-cmi to at least 2214.

Update System or CMI from the update menu.

2. Logout.

3.Login into Administration Menu

S	wivel Maintenance (c) 2016 VMWare Single	Administration Menu		
1) 2) 3) 5) 6)	Change Admin Password Add Certificates Deauthorize Default Certificates Reboot Shutdown Update Appliance Back			
Sei	lect:			

4. Select update menu and Select "Settings"

Swivel Maintenance (c) 2016 VMWare Single	Update Menu	
WARNING: Users may be unable to authentic	ate during updates	
1) Settings 2) Update CMI Menu 3) Update System 4) Update Swivel Core Products 5) Install Swivel Sentry 8) Install / Update Package 9) Flush Cache 0) Back Select:		

5. Select "Upgrade to v4 Repository"

Swivel Maintenance (c) 2016 VMWare Single	Update Settings	
1) Enable External Repository Access 2) Yum Proxy 3) Upgrade to v4 Repository 0) Back		
Select:		
Select: 3 INFO: Changed to take updates from v4 repositories. Press RETURN to continue:		

Sec. Sec. Sec.

6. Update System, Swivel Core Products.

Swivel Maintenance (c) 2016 VMWare Single	Update Menu		
WARKING: Users may be unable to authenticate during updates			
1) Settings 2) Update CMI Menu 8) Update System 4) Update Swivel Core Products 5) Install Swivel Sentry 8) Install / Update Package 9) Flush Cache 8) Back			
Select:			

Resolving Dependencie > Running fransacti > Package swivel-c > Package swivel-n > Package swivel-n	s on check mi.noarch 0 on.noarch 0 on.noarch 0 oysql.noarch elease.noar elease.noar elease.noar	<pre>:3.0.2228-22 will be :4.0.2227-955 will b :1.0.1841-16 will be :0.2192-18 will be :0:1.0.2143-46 will :0:1.0.2231-48 will ch 0:1.0.1743-39 wil ch 0:4.0.1983-47 wil on</pre>	e updated e an update e updated e an update be updated be an update 1 be updated 1 be an update		
Parkane	Arch	Wersion	Renctifory	Size	
EFEFEFEFEFEFEFEFEFEFE	EFFEEEEEEE	FEFEFEFEFEFEFEFEFE	EFFEFEFEFEFEFEFEFEFEFEFEFEFEFEFEFEFEFEFE	EFFEFEEE	
Updating:			5.1	and the	
swivel-cmi	nearch	4.0.2227-955	appliance	117 k	
swivel-mon Goivel-mycol	noarch	1 0 2231-48	appriance	21 K 20 k	
swivel-release	noarch	4.0.1983-47	appliance	21 k	
opgrade 4 Facka Total download size: Is this ok [y/N]: Dependencies Resolved	179 k				
Package	Arch	Version	Repository	Size	a she bar da bar da s
Updating: apache-tomcat swivel-PIKsafe swivel-proxy Installing for depend	noarch noarch noarch encies:	8.0.36-67 4.0.4.5093-76 1.6.2.4703-13	appliance-core appliance-core appliance-core	6.9 M 24 M 91 k	
jrel.8.0_121 swivel-ROOT	x86_64 noarch	1.8.0_121.fcs 1.0.0-3	appliance-core appliance-core	54 M 163 k	
Transaction Summary					
Install 2 Packa Upgrade 3 Packa	ge(s) ge(s)				
Total download size: Is this ok [y/R]: [86 M				1

Select Y

7. Select "Install Swivel Sentry" in update Menu.

Swivel Maintenance (c) 2016 VMWare Single	Update Kenu
WARRING: Users may be unable to authenticate during up	dates
1) Settings 2) Update CMI Menu 3) Update System 4) Update Swivel Core Products 5) Install Swivel Sentry 8) Install / Update Package 9) Flush Cache 0) Back Select:	

8. (opt) Select "Install / Update Package", then enter "swivel-logviewer" without quotes.

Need more help?

Please contact your partner or create a support ticket in our support portal https://supportdesk.swivelsecure.com/dashboard