

Microsoft Windows Small Business Server 2011

Contents

- 1 Introduction
- 2 Prerequisites
- 3 Baseline
- 4 Architecture
- 5 Installation
 - ◆ 5.1 Configure The Swivel Server
 - ◆ 5.2 Configure the SBS 2011
- 6 Verifying the Installation
- 7 Troubleshooting
- 8 Additional Configuration Options
- 9 Known Issues and Limitations
- 10 Additional Information

Introduction

Built on Windows Server 2008 R2, Windows SBS 2011 Standard includes Microsoft Exchange Server 2010 SP1, Microsoft SharePoint Foundation 2010 and Windows Software Update Services.

This configuration document outlines how to integrate Swivel with Microsoft Small Business Server 2011 authentication in addition to the Swivel authentication.

Prerequisites

Microsoft Small Business Server 2011

Swivel 3.x server

Swivel Small Business Software.

Baseline

Swivel 3.9

Architecture

The SBS makes authentication requests against the Swivel server by XML.

Installation

Configure The Swivel Server

Configure a Swivel Agent (For standard XML Authentication)

1. On the Swivel Management Console select Server/Agent
2. Enter a name for the Agent
3. Enter the Exchange IP address
4. Enter the shared secret used above on the SBS
5. Click on Apply to save changes

Agents:	Name:	<input type="text" value="local"/>	
	Hostname/IP:	<input type="text" value="127.0.0.1"/>	
	Shared secret:	<input type="password" value="....."/>	
	Group:	<input type="text" value="---ANY---"/>	
	Authentication Modes:	<input type="text" value="ALL"/>	<input type="button" value="Delete"/>
	Name:	<input type="text" value="IIS"/>	
	Hostname/IP:	<input type="text" value="192.168.1.1"/>	
	Shared secret:	<input type="password" value="....."/>	
	Group:	<input type="text" value="---ANY---"/>	
	Authentication Modes:	<input type="text" value="ALL"/>	<input type="button" value="Delete"/>

Configure Single Channel Access

1. On the Swivel Management Console select Server/Single Channel
2. Ensure ?Allow session request by username? is set to YES

Server>Single Channel

Please specify how single channel security strings are delivered.

Image file:	<input type="text" value="turing.xml"/>
Rotate letters:	<input type="text" value="No"/>
Allow session request by username:	<input type="text" value="Yes"/>
Only use one font per image:	<input type="text" value="Yes"/>
Jiggle characters within slot:	<input type="text" value="No"/>
Add blank trailer frame to animated images:	<input type="text" value="Yes"/>
Text Alpha Value:	<input type="text" value="80"/>
Number of complete display cycles per image:	<input type="text" value="10"/>
Inter-frame delay (1/100s):	<input type="text" value="40"/>
Image Rendering:	<input type="text" value="Static"/>
Multiple Authentications per String:	<input type="text" value="No"/>
Generate animated images:	<input type="text" value="No"/>
Random glyph order when animating:	<input type="text" value="No"/>
No. Characters Visible:	<input type="text" value="1"/>
<input type="button" value="Apply"/> <input type="button" value="Reset"/>	

Configure the SBS 2011

1. Extract the files from the zip folder
2. Copy all the DLLs from the Bin folder to the Bin folder of the SBS application (by default C:\Program Files\Windows Small Business Server\Bin\WebApp\RemoteAccess).
3. Copy pinsafe_image.aspx from the AccountPage folder of the zip to the AccountPage folder of the SBS application.
4. Backup the existing SBS server Logon.aspx. Modify the existing Logon.aspx on the SBS server by locating the relevant sections in the customised Swivel Logon.aspx and copying to the SBS server Logon.aspx. Search for "Swivel Customisation Start". There are three separate sections. Copy each section into the existing Logon.aspx file (the end of the section is marked by "Swivel Customisation End"). It should be clear from the original file where the sections should go.
5. Backup the existing SBS server web.config. Modify the existing web.config on the SBS server by locating the relevant sections in the customised Swivel web.config and copying to the SBS server web.config. There are three sections to change, marked as before. The first one adds the Swivel filter as a HTTP module. The second adds an exclusion to default authorization, so that the Turing image can be displayed without having to authenticate. The third is the list of settings for the PINsafe server. You may find you have to create the <appSettings> section as well as inserting the settings, or you may find that there is a single, empty <appSettings /> entry. In the latter case, replace that with the entire <appSettings> section in the custom file. You will need to change the value="" entries to match the PINsafe settings for your local environment.
6. Finally, restart IIS (this may not be strictly necessary, but it's always best to make sure).

Verifying the Installation

Troubleshooting

Additional Configuration Options

Known Issues and Limitations

Additional Information

For assistance in the Swivel installation and configuration please firstly contact your reseller and then email Swivel Secure support at support@swivelsecure.com